| | Туре | L # | Hits | Search Text | DBs |
|---|------|-----|-------------|---|--|
| 1 | BRS | L1 | 1 | "3571770".pn. | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 2 | BRS | L2 | 413 | 335/126.ccls. | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 3 | BRS | L3 | 24 | anti adj corrosion same (armature plunger) | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 4 | BRS | L4 | 325899 4 | thick\$4 thin\$4 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |

| | Туре | L # | Hits | Search Text | DBs |
|---|------|-----|----------|-------------------------------------|--|
| 5 | BRS | L5 | 11 4511/ | anti adj corrosion anticorrosion | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 6 | BRS | L6 | 888 | 5 with 4 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 7 | BRS | L7 | 806524 | (armature plunger actuator) | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 8 | BRS | L8 | 3 | 6 same 7 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |

| | Туре | L # | Hits | Search Text | DBs |
|----|------|---------|-------------|---------------|--|
| 9 | BRS | L9 | 131699 9 | solenoid coil | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 10 | BRS | L10 | 161 | 6 and 9 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 11 | BRS | H . 7 T | 131699 9 | solenoid coil | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 12 | BRS | L12 | 161 | 6 and 10 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |

| | Туре | L # | Hits | Search Text | DBs |
|----|------|-----|--------|--------------------|--|
| 13 | BRS | L13 | 161 | 6 and 11 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 14 | BRS | L14 | 1 | "4458230".pn. | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 15 | BRS | L15 | 607249 | cr chrome chromium | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 16 | BRS | L16 | 20448 | 15 with corrosion | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |

| | Туре | L # | Hits | Search Text | DBs |
|----|------|------------------|-------------|-----------------------|--|
| 17 | BRS | L17 | 20584 | 15 with (corrosion 5) | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 18 | BRS | L18 _. | 325899 4 | thin\$4 thick\$4 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 19 | BRS | L19 | 1598 | 17 with 18 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 20 | BRS | L20 | 347616 4 | coat\$3 layer\$4 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |

| | Туре | L # | Hits | Search Text | DBs |
|----|------|-----|-------|---------------------------------|--|
| 21 | BRS | L21 | 142 | 19 with "20" | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 22 | BRS | L22 | 985 | 19 with 20 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 23 | BRS | L23 | 104 | 11 and 22 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 24 | BRS | L24 | 48050 | (armature plunger actuator).ti. | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |

| | Туре | L # | Hits | Search Text | DBs |
|----|------|-----|--------|-------------------|--|
| 25 | BRS | L25 | 2 | 24 and 23 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 26 | BRS | L26 | 210665 | (armature plunger | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 27 | BRS | L27 | 31674 | 24 and 26 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 28 | BRS | L28 | 1 | 19 with 26 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |

| | Туре | L # | Hits | Search Text | DBs |
|----|------|---------|-------------|--------------------------|--|
| 29 | BRS | L29 | 3 | armature same 19 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 30 | BRS | L30 | 18749 | armature same 18 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 31 | BRS | L31 | 31 | armature same 17 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 32 | BRS | ほごろり ニー | 605731 8 | coat\$3 layer\$4 plat\$4 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |

| | Туре | L # | Hits | Search Text | DBs |
|----|------|-----|------|---------------------------------------|--|
| 33 | BRS | L33 | 47 | 17 same 32 same (armature plunger) | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |
| 34 | BRS | L34 | 17 | 18 same 33 | US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B |